


1. SPECIFICATION

AKR-35200420-PPC-1

ITEM		SPECIFICATIONS	
01	Type	Dynamic Speaker	
02	Dimension	External diameter 35 x 20 mm	
03	Rated Input Power	2.0 W	
04	Max. Input Power	3.0 W for 1 minute	
05	Impedance	$4\Omega \pm 15\%$ at 1KHz 1V	
06	Resonance Frequency (Fo)	800 Hz $\pm 20\%$ at Fo, 1V	
07	Sound pressure level	97 dB(2.0W/0.1M) ± 3 dB	at AVE 1.0, 1.2, 1.4, 1.5 KHz.
08	Frequency Range	Fo – 10 K Hz	
09	Total Harmonics Distortion	Max 10 % at 1 KHz, 1.0 W.	

REV NO.	REVISION NOTE	APPROVAL	DATE
---------	---------------	----------	------



RoHS

TITLE: DYNAMIC SPEAKER		DRAWN: Zack2018/06/14		SCALE: 1:1	SHEET: 1 : 1
PART NO. AKR-35200420-PPC-1		2	DESIGNED: R & D OF AAT		UNITS: mm
			CHECKED:		TOLERANCE ± 0.5
DWG NO. CXS2035076-R04W2.0-C3		REV	APPROVAL:		UNLESS OTHERWISE SPECIFIED:
			MATERIAL: ABS		ONE PLACE DECIMAL ± *** TWO PLACE DECIMAL ± *** THREE PLACE DECIMAL ± ***



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC