


# 1. SPECIFICATION

AP-16X12A

| ITEM |                                             | UNITS         | SPECIFICATIONS | CONDITIONS                                                                         |
|------|---------------------------------------------|---------------|----------------|------------------------------------------------------------------------------------|
| 01   | Rated Voltage                               | V             | 12             |  |
| 02   | Operating Voltage                           | V             | 10 ~ 14        |                                                                                    |
| 03   | Consumption Current                         | mA<br>Max.    | 55             | Standard state, standard drive circuit.<br>Square wave 1/2 duty.                   |
| 04   | Sound pressure level<br>(Distance at 10cm ) | dB(A)<br>Min. | 82             | Rated voltage, rated frequency.                                                    |
| 05   | Direct Current Resistance                   | $\Omega$      | 115 $\pm$ 17   |                                                                                    |
| 06   | Rated Frequency                             | Hz            | 2048           |                                                                                    |
| 07   | Operating Temp.                             | °C            | -40 ~ +85      |                                                                                    |
| 08   | Storage Temp.                               | °C            | -40 ~ +85      |                                                                                    |
| 09   | Weight                                      | g             | 4.6 $\pm$ 1.5  |                                                                                    |

2. DIMENSIONS



For more information, please contact AATC.

AATC